

Analysis of Influencing Factors on Humanoid Robots' Emotion Expressions by Body Language

Zhijun Zhang^(⊠), Yaru Niu^(⊠), Shangen Wu, Shuyang Lin, and Lingdong Kong

School of Automation Science and Engineering, South China University of Technology, Guangzhou 510641, China auzjzhang@scut.edu.cn, auchrisniu@mail.scut.edu.cn

Abstract. In addition to speech, nonverbal behaviors of the human like facial expressions and body languages can also express emotions in socializing. It is expected to be known whether humanoid robots can also express their emotions in Human-Robot Interaction (HRI). This is a basic research problem since the humanoid robots are expected to be the members of our society. In this paper, we present humanoid robots' capabilities of expressing emotions by body language and discuss the facts that may influence the emotion expression through questionnaire surveys and the statistic analysis. The research is carried out on the Nao robot and the results show that the expression of emotion is affected by the ambiguity of the body language and the joint limits of the robot.

Keywords: Humanoid robot \cdot Emotion \cdot Body language

1 Introduction

The global population of people aged over 60 years old will be more than 2 billion by 2050 according to the World Health Organization [1]. Social robots may play a significant role in interaction and companionship with aged and disabled people in the future. In HRI, the more vividly and naturally robots behave, the more comfortable and pleased humans feel. Enabling the robots to express their emotions naturally is an effective way to improve the lifelikeness of robots and the quality of interaction. There is no doubt that speaking is a direct way of emotion expressions whereas humans and robots can express complex or delicate emotions indirectly by nonverbal manners including facial expressions [2,3] and body language [4-6].

Facial Action Coding System (FACS) is an universal standard for categorizing the facial emotion expression. It was firstly developed by a Swedish anatomist Hjortsjö [7] and adopted and published by Ekman in 1977 [8]. Based on computer science, FACS has been made into a system that can track face, extract face features and produce temporal files automatically to overcome the original limitation of time costs and extensive training requirements [9].

[©] Springer International Publishing AG, part of Springer Nature 2018 T. Huang et al. (Eds.): ISNN 2018, LNCS 10878, pp. 775–785, 2018.

 $https://doi.org/10.1007/978\text{-}3\text{-}319\text{-}92537\text{-}0_88$

Some robots that have the appearance of the human are created to be anthropomorphic and support facial expressions. In [10], a robot called Albert HUBO was designed by combining the Einstein-like head and the body modified with HUBO robot. The head had smooth skin and numerous motors to support a large range of facial expressions. Hiroshi Ishiguro et al. built a humanoid robot Geminoid F who had delicate artificial skin and hair which was hard to distinguish from human [11]. Its rich facial expressions also make communication more attractive. However, according to uncanny valley theory [12], familiarity will suddenly drop when the human likeness of robot increases to a certain extent so that we cannot simply consider that the quality of HRI will improve as the robot is more human-like.

What is more, most humanoid robots at present only have fixed faces so that facial expressions are not appropriate for them to convey emotions. Therefore, body language may be a better approach for them to express emotions. Also, humanoid robots usually have numerous degrees of freedom which provides them with the advantage of displaying various complicated postures.

Although there is still no research pointing out which posture stands for which specific emotion, it has been proved that body language is able to convey emotions. Darwin and Prodger [13] figured out a functional link between postural responses and emotions through the experiments by Electromyography (EMG). The researchers found differences in four muscles when the participants were in anger or fear, suggesting that when emotions expressed, the corresponding muscles would have some reactions.

In [14], experiments were designed to compare people's identification for body language performed by an actor and artificial agents. A professional actor was asked to perform 10 emotions with body language. The motions were recorded by a human motion capture device and then regenerated by animation. The face and hands of the human and the animation were removed to avoid uncanny valley effect and volunteers were asked to choose an emotion from Geneva Emotion Wheel for the posture display. They concluded that artificial agents can express emotions by body language and discussed several facts that could affect the expression. Besides, they also investigated the effect of the head position on the emotion expression using the Nao robot.

In this paper, two surveys were conducted to investigate whether Nao is able to convey emotions by static postures. We established emotional posture library containing six basic emotions through Internet searching and image processing. These postures were regenerated by the Nao robot. Volunteers were asked to recognize the emotion expressed by the body language of the human and the Nao robot in two questionnaires. Two facts that may affect the emotion expressions of the robot, which are the ambiguity of the postures and the joint limits of the robot, were figured out by analyzing the statistical result. They were finally verified by the method of hypothesis testing conducted in SPSS, a software used for statistical analysis.



Fig. 1. An example of the initial picture, the processed picture and the corresponding photo of Nao (Posture 36 in survey 1).

2 Surveys

First of all, a set of emotional postures was established and six basic emotions [15], including anger, disgust, fear, happiness, sadness and surprise, were selected. We searched pictures of these six basic emotions through Google and tried to find non-repeated postures with evident differences to avoid confusion. 42 postures were finally obtained including 10 anger, 8 disgust, 6 fear, 7 happiness, 5 sadness and 6 surprise.

Since what we care about is body language, in the first survey, the face in each picture was removed to eliminate the influence of facial expressions. Then the processed pictures were placed out of sequence in the questionnaire and there were 8 options for participants to evaluate the emotion that a posture expressed, including six emotions mentioned above, "neutral", and "other". Participants were asked to make a choice after watching a posture as soon as possible to ensure that the choices were made by the first impression. 29 participants were invited to finish the questionnaires.

In the second survey, Nao's joints were moved to perform the similar posture according to each one in the picture mentioned above. The positions and directions of the robot's limbs were set as similar as possible to those in the pictures. Then 42 postures of the robot were obtained. Each posture of Nao was recorded in Choregraphe, a simulator platform for Nao. The postures were performed by the robot and photographed. Then the photos were placed out of sequence in the questionnaire and each photo was followed by 8 options that were the same as the first survey. Because Nao's facial expression kept unchanged, it would not influence the conclusion. An example of the initial picture, the processed picture and the corresponding photo of Nao is shown in Fig. 1.

The statistical result of the first survey is shown in Table 1(a), in which "s1" denotes the sequence number of the human's posture in the first survey, "a" denotes anger, "d" denotes disgust, "f" denotes fear, "h" denotes happiness, "sa" denotes sadness, "su" denotes surprise, "n" denotes neutral, and "o" denotes other. The rest of the table is about the ratio of each option for each posture. Because a small amount of participants did not make a choice for some postures in their questionnaire, some of the total ratios in one row do not reach 100%.

(a) pic	a) The ratio of each option corresponding to each bicture of human's posture								(b) The ratio of each option corresponding to each photo of robot's posture								
s1										a	d	f	h	sa	su	n	0
1	0.069	0.103	0.000	0.000	0.138	0.483	0.069	0.103	1	0.000	0.150	0.000	0.050	0.150	0.500	0.100	0.050
2	0.034	0.069	0.103	0.069	0.483	0.000	0.069	0.138	2	0.050	0.550	0.100	0.150	0.000	0.050	0.050	0.050
3	0.103	0.000	0.069	0.069	0.000	0.759	0.000	0.000	3	0.100	0.100	0.350	0.000	0.400	0.000	0.000	0.050
4	0.000	0.000	0.069	0.069	0.414	0.069	0.345	0.034	4	0.400	0.000	0.000	0.500	0.000	0.000	0.050	0.000
5	0.000	0.000	0.034	0.759	0.000	0.207	0.000	0.000	5	0.000	0.150	0.000	0.000	0.850	0.000	0.000	0.000
6	0.034	0.034	0.103	0.345	0.034	0.379	0.069	0.000	6	0.200	0.000	0.000	0.300	0.000	0.000	0.250	0.200
7	0.103	0.414	0.241	0.138	0.000	0.000	0.069	0.034	7	0.050	0.000	0.500	0.000	0.050	0.050	0.150	0.150
8	0.000	0.207	0.379	0.034	0.034	0.276	0.000	0.069	8	0.100	0.150	0.100	0.000	0.300	0.000	0.200	0.100
9	0.000	0.000	0.345	0.000	0.655	0.000	0.000	0.034	9	0.050	0.250	0.100	0.100	0.000	0.000	0.350	0.100
10	0.000	0.000	0.966	0.000	0.000	0.000	0.034	0.000	10	0.050	0.050	0.000	0.300	0.000	0.350	0.150	0.100
11	0.759	0.034	0.000	0.034	0.000	0.069	0.069	0.034	11	0.150	0.000	0.550	0.050	0.250	0.000	0.000	0.000
12	0.000	0.000	0.000	0.000	1.000	0.000	0.000	0.000	12	0.100	0.100	0.150	0.050	0.050	0.100	0.200	0.250
13	0.034	0.414	0.207	0.034	0.000	0.000	0.241	0.034	13	0.000	0.000	0.000	0.800	0.000	0.100	0.000	0.100
14	0.000	0.000	0.034	0.034	0.483	0.000	0.379	0.069	14	0.000	0.000	0.000	0.050	0.000	0.650	0.200	0.100
15	0.069	0.000	0.000	0.586	0.000	0.310	0.034	0.000	15	0.050	0.100	0.350	0.100	0.150	0.000	0.150	0.100
16	0.724	0.138	0.000	0.000	0.000	0.000	0.103	0.034	16	0.200	0.100	0.000	0.050	0.000	0.000	0.500	0.150
17	0.103	0.034	0.000	0.828	0.000	0.000	0.000	0.034	17	0.100	0.050	0.400	0.000	0.000	0.450	0.000	0.000
18	0.000	0.000	0.138	0.345	0.000	0.069	0.276	0.172	18	0.000	0.150	0.050	0.150	0.000	0.150	0.400	0.100
19	0.000	0.034	0.483	0.000	0.207	0.241	0.034	0.000	19	0.050	0.050	0.050	0.000	0.150	0.000	0.500	0.200
20	0.000	0.034	0.000	0.000	0.931	0.000	0.000	0.034	20	0.050	0.250	0.150	0.050	0.000	0.200	0.200	0.100
21	0.000	0.000	0.000	0.103	0.000	0.828	0.034	0.034	21	0.050	0.050	0.150	0.050	0.000	0.050	0.500	0.150
22	0.276	0.034	0.000	0.621	0.069	0.000	0.000	0.000	22	0.050	0.250	0.300	0.050	0.000	0.300	0.050	0.000
23	0.103	0.241	0.379	0.000	0.069	0.138	0.000	0.069	23	0.050	0.050	0.150	0.000	0.000	0.300	0.350	0.100
24	0.586	0.000	0.034	0.103	0.000	0.000	0.172	0.103	24	0.050	0.200	0.050	0.050	0.450	0.000	0.150	0.050
25	0.034	0.000	0.000	0.483	0.000	0.345	0.103	0.034	25	0.400	0.000	0.000	0.100	0.000	0.200	0.150	0.150
26	0.069	0.000	0.034	0.862	0.000	0.000	0.000	0.034	26	0.150	0.400	0.100	0.000	0.000	0.100	0.050	0.200
27	0.138	0.034	0.000	0.724	0.000	0.069	0.034	0.000	27	0.000	0.150	0.300	0.100	0.050	0.000	0.400	0.000
28	0.276	0.034	0.034	0.448	0.069	0.000	0.103	0.034	28	0.300	0.100	0.050	0.350	0.000	0.000	0.100	0.100
29	0.621	0.103	0.103	0.000	0.034	0.000	0.069	0.034	29	0.350	0.000	0.150	0.200	0.150	0.050	0.100	0.000
30	0.000	0.655	0.310	0.000	0.000	0.000	0.000	0.034	30	0.000	0.050	0.100	0.000	0.750	0.000	0.050	0.050
31	0.966	0.034	0.000	0.000	0.000	0.000	0.000	0.000	31	0.000	0.100	0.450	0.050	0.050	0.050	0.200	0.100
32	0.034	0.655	0.207	0.000	0.000	0.000	0.000	0.103	32	0.000	0.300	0.000	0.000	0.450	0.100	0.000	0.150
33	0.000	0.621	0.310	0.000	0.000	0.000	0.000	0.069	33	0.000	0.100	0.700	0.100	0.000	0.000	0.000	0.100
34	0.034	0.000	0.034	0.690	0.000	0.000	0.069	0.172	34	0.150	0.000	0.000	0.650	0.000	0.050	0.100	0.050
35	0.379	0.034	0.000	0.069	0.000	0.000	0.276	0.241	35	0.000	0.450	0.200	0.000	0.000	0.250	0.100	0.000
36	0.069	0.379	0.448	0.000	0.034	0.000	0.034	0.034	36	0.000	0.450	0.350	0.050	0.000	0.050	0.050	0.050
37	0.379	0.138	0.103	0.000	0.241	0.000	0.000	0.138	37	0.000	0.000	0.100	0.400	0.000	0.000	0.250	0.250
38	0.000	0.069	0.828	0.000	0.000	0.103	0.000	0.000	38	0.700	0.100	0.000	0.000	0.000	0.100	0.050	0.050
39	0.862	0.034	0.000	0.103	0.000	0.000	0.000	0.000	39	0.000	0.000	0.000	0.500	0.000	0.400	0.100	0.000
40	0.000	0.034	0.069	0.000	0.862	0.000	0.034	0.000	40	0.650	0.050	0.000	0.100	0.000	0.000	0.150	0.050
41	0.897	0.000	0.000	0.034	0.000	0.034	0.034	0.000	41	0.000	0.450	0.350	0.000	0.000	0.000	0.200	0.103
42	0.000	0.414	0.207	0.000	0.034	0.276	0.034	0.034	42	0.000	0.050	0.050	0.300	0.000	0.150	0.350	0.100

Table 1.	. The	$\operatorname{results}$	of	the	surveys	(out	of	sequence).	•
----------	-------	--------------------------	----	-----	---------	------	----	------------	---

Similarly, the statistical result of the second survey is shown in Table 1(b), in which "s2" denotes the sequence number of the robot's posture in the second survey.

3 Analysis and Hypothesis

In Table 1(a) and (b), the option with highest ratio for each posture would be considered as the best choice to represent the emotion expressed by the posture. The robot's postures of happiness are depicted as an example in Fig. 2. The best choices of emotions for the human's postures and the robot's postures respectively are put together with the keywords of these human's postures searched in Google in Table 2 for comparison. Through analysis and comparison, we build two hypotheses of the influencing factors on humanoid robots' emotion expression by body language.



Fig. 2. The chosen robot's postures of happiness.

3.1 Hypothesis of Influencing Factor 1: Ambiguity

If the best emotion choice of a human's posture and that of the corresponding Nao's posture are consistent, there are two cases to consider.

The first case is that the search keyword is consistent with the best emotion choice for the human's posture. Using the sequence numbers in the first survey as reference, for example, the search keyword, the best choice for corresponding human's posture and the best choice for corresponding Nao's posture of the first posture are all surprises. Similarly, there are 22 other postures of the same case. Their sequence numbers are 2, 3, 10, 11, 12, 14, 17, 19, 20, 22, 23, 26, 27, 30, 32, 33, 34, 37, 39, 40, 41, 42, respectively.

In the second case, the keyword is different from the best choice for human's posture. For example, the 36th human posture is recognized as fear whereas its corresponding search keyword is disgust. It suggests that human and Nao can convey the same emotion by the similar body language but the body language itself is unable to express a certain emotion independently. Obviously, this is due to the effect of facial expressions. Without facial expressions, body language cannot express emotions properly and adequately in this case, which means the body language is of ambiguity. Therefore, the ambiguity is supposed as an influencing factor.

s1	Initial	Human	Nao	s2	s1	Initial	Human	Nao	s2
1	surprise	surprise	surprise	1	22	happiness	happiness	happiness	4
2	sadness	sadness	sadness	5	23	fear	fear	fear	15
3	surprise	surprise	surprise	17	24	anger	anger	happiness	6
4	fear	sadness	other	12	25	surprise	happiness	surprise	14
5	happiness	happiness	surprise	10	26	happiness	happiness	happiness	28
6	surprise	surprise	neutral	23	27	happiness	happiness	happiness	13
7	fear	disgust	neutral	9	28	anger	happiness	neutral	16
8	disgust	fear	disgust	26	29	anger	anger	neutral	27
9	fear	sadness	fear	11	30	disgust	disgust	disgust	36
10	fear	fear	fear	31	31	anger	anger	neutral	18
11	anger	anger	anger	38	32	disgust	disgust	disgust	36
12	sadness	sadness	sadness	30	33	disgust	disgust	disgust	2
13	disgust	disgust	fear & surprise	22	34	happiness	happiness	happiness	34
14	sadness	sadness	sadness	8	35	anger	anger	neutral	21
15	surprise	happiness	disgust	20	36	disgust	fear	fear	33
16	anger	anger	neutral	19	37	anger	anger	anger	29
17	happiness	happiness	happiness	37	38	disgust	fear	fear	7
18	happiness	happiness	neutral	42	39	anger	anger	anger	40
19	fear	fear	fear	3	40	sadness	sadness	sadness	24
20	sadness	sadness	sadness	32	41	anger	anger	anger	25
21	surprise	surprise	happiness	39	42	disgust	disgust	disgust	35

Table 2. Comparison of emotions expressed by the initial picture, corresponding bodylanguage of the human and body language of NAO.

3.2 Hypothesis of Influencing Factor 2: Joint Limits

If the best emotion choice of a human's posture is consistent with the search keyword, similarly, there are also two cases.

The first case is that the emotions are consistent in three corresponding pictures, which has been discussed above. The second one is that the best emotion choices are different between the human's and the Nao's postures. In this case, the factors causing the difference may exist in the robot itself, concretely and mainly, the limitations of Nao's joints. For example, the 5th posture's keyword and the best choice of human's posture are both happinesses but the best choice for Nao's posture is surprise. As can be seen from Fig. 3, Nao cannot perform the similar posture as the human because of its joint limits. There are other 9 postures in the same situation with the sequence numbers of 6, 13, 16, 18, 21, 24, 29, 31, 35. Therefore, the joint limit is hypothesized as another influencing factor.



Fig. 3. The posture of the robot (Posture 5) is restricted by joint limits.

4 Hypothesis Testing

It has been pointed out in the above section that the emotion expression of Nao's postures may be affected by the inherent ambiguity of the postures and the joint limits of the robot. In this section, the assumptions will be verified through two experiments using the method of hypothesis testing.

4.1 Preparation for Verification

In this paper, a posture is considered ambiguous when the selected times of its best choice do not exceed twice the selected times of its second best choice according to the general rule found in survey 1. For example, 12 participants thought that the 7th posture expressed the emotion of disgust while 7 participants chose the option of fear. The selected ratios of this two emotions are relatively close, which means that the posture itself cannot convey a certain emotion accurately. 42 Nao postures can be divided into the ambiguous type and the non-ambiguous type according to this definition. Also, the postures also can be divided into two types according to joint limits.

Therefore, we obtain four groups of postures, including 9 postures with ambiguity and without joints limits (Group 1), 12 postures without ambiguity and with joint limits (Group 2), 12 postures without both of them (Group 3) and 9 postures with both of them (Group 4).

4.2 Experiment 1: Verification of Ambiguity

Group 3 and Group 1 were used to verify the effect of the ambiguity of postures on robots' emotion expression. Defining the emotions chosen by most participants as the correct emotions, we got the accuracy of the recognizing emotion for each posture of NAO which was the sample for T-test. The result of normality test is shown in Table 3. The first row is for Group 3 and the second row is for Group 1. The statistics of these two groups are normally distributed since Sig.>0.05. Then T-test could be conducted and its result is shown in Table 4. In the Levene's test, Sig. is larger than 0.05, suggesting that two samples have similar variances. The Sig. in the first line is less than 0.05, so we can conclude

VAR0001	Kolmogo	rov-	Smirnov	Shapiro-Wilk			
	Statistic	c df Sig.		Statistic	df	Sig.	
VAR0002	VAR0002 1.000		12	0.200	0.939	12	0.480
	2.000	0.193	9	0.200	0.903	9	0.269

Table 3. The result of normality test in experiment 1.

Table 4.	The	result	of	T-test	in	experiment	1.	
----------	-----	-------------------------	----	--------	----	------------	----	--

		Lever for eq varia	e's test uality of nces	t-test	t-test for equality of means									
		F	Sig.	t	df	Sig.(2- tailed)	Mean differ- ence	Std. error dif- ference	95% Conferen interval o difference	ce of the				
									Lower	Upper				
VAR0002	Equal variances assumed	0.783	0.387	3.892	19	0.001	0.315278	0.081005	0.145733	0.484823				
	Equal variances not assumed			3.679	13.284	0.003	0.315278	0.85698	0.130541	0.500014				

that the accuracies of these two group are significantly different. According to the box plot depicted in Fig. 4, the non-ambiguous group have higher accuracies of the emotion expression than the ambiguous group generally.

4.3 Experiment 2: Verification of Joint Limits

Group 3 and Group 2 were used to verify whether joint limits affect the emotion expression of the robot. Before verification, we should make sure that there is no significant difference between the accuracies of the emotion expressions of human's postures corresponding to these two groups of NAO's postures. Similar to experiment 1, normality test and T-test were conducted and the results are shown in Tables 5 and 6. Two groups of samples obey the normal distribution and



Fig. 4. The box plot for Nao's postures with ambiguity (Group1, on the right) and without ambiguity (Group3, on the left).

VAR0001	Kolmogo	rov-	Smirnov	Shapiro-Wilk			
	Statistic	df	Sig.	Statistic	df	Sig.	
VAR0002	1.000	0.119	12	0.200	0.953	12	0.684
	2.000	0.180	12	0.200	0.939	12	0.481

Table 5. The result of normality test for human's postures in experiment 2.

Table 6. The result of T-test for human's postures in experiment 2.

		Leven for eq of var	e's test uality iances	t-test fo	t-test for equality of means									
		F	Sig.	t	df	Sig.(2- tailed)	Mean differ- ence	Std. error dif- ference	95% Conference interval of difference	the				
									Lower	Upper				
VAR0002	Equal variances assumed	1.602	0.219	-1.172	22	0.254	-0.069083	0.058927	-0.191291	0.053124				
	Equal variances not assumed			-1.172	19.765	0.255	-0.69083	0.058927	-0.192097	0.053930				

the accuracies of these two groups are basically the same according to the results which suggested that the postures of the samples are similarly not ambiguous. The corresponding box plot is depicted in Fig. 5(a).



(a) The box plot for human's (b) The box plot for Nao's postures in experiment 2. postures in experiment 2.

Fig. 5. Box plots in experiment 2 (Group 3 on the left, Group 2 on the right).

Then normality test for the accuracies of these two group was conducted and its result in Table 7 shows that the data of these two groups are not normally distributed. Therefore, nonparametric test was adopted instead of T-test. In SPSS, Mann-Whitney U test, one method of nonparametric test, was conducted automatically. The result in Table 8 shows that the null hypothesis is rejected, in other words, the accuracies of emotional expressions of the group with joint limits

VAR0001	Kolmogo	rov-	Smirnov	Shapiro-Wilk			
		Statistic	df	Sig.	Statistic	df	Sig.
VAR0002	VAR0002 1.000		12	0.200	0.939	12	0.480
	2.000	0.212	12	0.143	0.843	12	0.030

Table 7. The result of normality test for Nao's postures in experiment 2.

Table 8. The result of Mann-Whitney U test for Nao's postures in experiment 2.

Null hypothesis	Test	Sig.	Decision
The distribution of VAR00002 is the same across categories of VAR00001	Independent-Samples Mann-Whitney U Test	0.000	Reject the null hypothesis

are significantly different from those of the group without joint limits. According to Fig. 5(b), the accuracies of emotion expressions of the group without joint limits are generally higher than the group with joint limits.

5 Conclusions

In this paper, the questionnaire survey and hypothesis testing were conducted to investigate what factors may affect the emotion expression of robot's postures. First the emotional postures library was established by searching pictures on the Internet. After removing the face of the people in the pictures and only reserving the body postures, Nao robot was controlled to make the same postures so that we got 42 human's postures and 42 Nao's postures. Then two questionnaire surveys were conducted to investigate the volunteers' recognition of the emotions expressed by human's and Nao's postures. By analyzing the statistic results, we made hypotheses that the ambiguity of postures and robots' joint limits affect the emotion expression of robot's postures and the assumptions were verified by hypothesis testing. The result shows that the hypotheses are tenable. Besides, the emotion can be conveyed more correctly without the ambiguity of postures and joint limits. Hence, these two factors should be avoided in practical application.

Acknowledgments. This work was supported in part by the National Natural Science Foundation under Grants 61603142 and 61633010, the Guangdong Foundation for Distinguished Young Scholars under Grant 2017A030306009, the Science and Technology Program of Guangzhou under Grant 201707010225, the Fundamental Research Funds for Central Universities under Grant 2017MS049.

References

- 1. World Health Organization. http://www.who.int/mediacentre/news/releases/2015/older-persons-day/en/
- Adăscălitei, F., Doroftei, I., Lefeber, D., et al.: Controlling a social robotperforming nonverbal communication through facial expressions. In: Advanced Materials Research, vol. 837, pp. 525–530. Trans Tech Publications (2014)
- Hsu, S.C., Huang, H.H., Huang, C.L.: Facial expression recognition for humanrobot interaction. In: IEEE International Conference on Robotic Computing, pp. 1–7. IEEE (2017)
- 4. Xu, J., Broekens, J., Hindriks, K., et al.: Robot mood is contagious: effects of robot body language in the imitation game. In: Proceedings of the 2014 International Conference on Autonomous Agents and Multi-agent Systems, pp. 973–980. International Foundation for Autonomous Agents and Multiagent Systems (2014)
- Embgen, S., Luber, M., Becker-Asano, C., et al.: Robot-specific social cues in emotional body language. In: RO-MAN, pp. 1019–1025. IEEE (2012)
- McColl, D., Jiang, C., Nejat, G.: Classifying a persons degree of accessibility from natural body language during social human-robot interactions. IEEE Trans. Cybern. 47(2), 524–538 (2017)
- 7. Hjortsjö, C.H.: Man's Face and Mimic Language. Studen litteratur (1969)
- 8. Ekman, P.: Facial Action Coding System (1977)
- Hamm, J., Kohler, C.G., Gur, R.C., et al.: Automated facial action coding system for dynamic analysis of facial expressions in neuropsychiatric disorders. J. Neurosci. Methods 200(2), 237–256 (2011)
- Oh, J.H., Hanson, D., Kim, W.S., et al.: Design of android type humanoid robot Albert HUBO. In: 2006 IEEE/RSJ International Conference on Intelligent Robots and Systems, pp. 1428–1433. IEEE (2006)
- Becker-Asano, C., Ishiguro, H.: Evaluating facial displays of emotion for the android robot Geminoid F. In: 2011 IEEE Workshop on Affective Computational Intelligence, pp. 1–8. IEEE (2011)
- 12. Mori, M.: The uncanny valley. Energy 7(4), 33–35 (1970)
- Darwin, C., Prodger, P.: The Expression of the Emotions in Man and Animals. Oxford University Press, New York (1998)
- Beck, A., Stevens, B., Bard, K.A., et al.: Emotional body language displayed by artificial agents. ACM Trans. Interact. Intell. Syst. 2(1), 2 (2012)
- Dalgleish, T., Power, M.: Handbook of Cognition and Emotion. Wiley, Hoboken (2000)